

USSN 09/975,139

LIST OF CLAIMS, SHOWING THE STATUS OF EACH CLAIM

Underlining denotes added text while strikethrough denotes deleted text.

IN THE CLAIMS:

1. (Currently Amended) A method of creating a library of DNA sequences, said method comprising:

- a) providing a DNA sequence that encodes a protein of interest;
- b) providing a probability matrix for the protein;
- c) providing a constraint vector for the protein;
- d) applying the constraint vector to the probability matrix to produce a substitution scheme recommending substitutions at at least two residues in the protein; and
- e) creating a library of DNA sequences incorporating changes in the DNA sequence that produce the recommended substitutions.

2. (Original) The method of claim 1, wherein said protein is selected from the group consisting of an esterase, dehydrogenase and hydrolase.

3. (Original) The method of claim 2, wherein said protein is selected from the group consisting of a protease, cellulase, lipase, hemicellulase, laccase, and amylase.

4. (Original) The method of claim 1, wherein said protein is selected from the group consisting of a transcription factor, growth factor, antibody, interleukin, antigen, and receptor.

5. (Original) The method of claim 1, wherein the probability matrix is based on structural characteristics selected from the group consisting of conservative residues, sequence alignments, three dimensional structure, residue environment, solvent accessibility, residue chemistry, propensity for a particular secondary structure, and combinations thereof.

USSN 09/975,139

6. (Original) The method of claim 1, wherein the constraint vector is based on structural characteristics known to affect protein function selected from the group consisting of proximity to the site of functionality, distance of α - or β -carbons, contact with residues of interest, and contact with residues that contact the residue of interest.

7. (Original) The library of claim 1, wherein said library is a phage library.

8. (Cancelled)

9. (Cancelled)

10. (Cancelled)

11. (Currently Amended) A system method for creating libraries of nucleic acid sequences that encode variants of a protein, said system comprising:

- a) an initial nucleic acid sequence that encodes a desired protein;
- b) a probability matrix, wherein said probability matrix is generated by a computer; and
- c) a constraint vector, wherein said constraint vector is generated by a computer.

12. (Cancelled)

13. (Cancelled)

14. (Original) The method of claim 1, wherein a library comprising at least 25 unique DNA sequences is produced.

15. (Original) The method of claim 14, wherein a library comprising at least 100 unique DNA sequences is produced.

16. (Original) The method of claim 15, wherein a library comprising at

USSH 09/975,139

least 250 unique DNA sequences is produced.

17. (Original) The method of claim 16, wherein a library comprising at least 1000 unique DNA sequences is produced.

18. (Original) The method of claim 17, wherein a library comprising at least 2500 unique DNA sequences is produced.

19. (Original) The method of claim 18, wherein a library comprising at least 10,000 unique DNA sequences is produced.

20. (Original) The method of claim 1, wherein a library of less than 10^9 unique DNA sequences is produced.

21. (Original) The method of claim 20, wherein a library of less than 10^6 unique DNA sequences is produced.

22. (Original) The method of claim 21, wherein a library of less than 10^5 unique DNA sequences is produced

23. (Currently Amended) The method of claim 1, wherein the probability matrix is generated using an algorithm.

24. (Cancelled)

25. (Currently Amended) The method of claim 1, wherein the constraint vector is generated using an algorithm.

26. (Original) The method of claim 1, wherein the constraint vector is generated by a computer.

27. (Original) The method of claim 1, wherein the constraint vector is applied to the probability matrix using a computer.

USSN 09/975,139

28. (Original) The method of claim 1, wherein the probability matrix is normalized.

29. (Original) The method of claim 1, wherein the DNA sequence is generated from DNA shuffling.

30. (Cancelled)

31. (Currently Amended) A method of creating a library of DNA sequences, said method comprising:

- a) providing a substitution scheme produced by applying a constraint vector to a probability matrix wherein the substitution scheme recommends substitutions at at least two residues in a protein of interest; and
- b) creating a library of DNA sequences incorporating substitutions in a DNA sequence encoding the protein of interest to create a library comprising the recommended substitutions.